	1 -	
	Application No.	Applicant(s)
	10/790,869	TORIUMI ET AL.
Notice of Allowability	Examiner	Art Unit
	Jennifer T. Nguyen	2629
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap) or other appropriate communication (IGHTS. This application is subject to	plication. If not included will be mailed in due course. THIS
1. \square This communication is responsive to $\underline{3/3/04}$.		
2. The allowed claim(s) is/are <u>1-22</u> .		
 3.		
2. ☐ Certified copies of the priority documents have		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		3 411 44 4
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a reply MENT of this application.	complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be subminformal PATENT APPLICATION (PTO-152) which give	nitted. Note the attached EXAMINER es reason(s) why the oath or declara	'S AMENDMENT or NOTICE OF ation is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) Including changes required by the Notice of Draftspers	son's Patent Drawing Review (PTO-	948) attached
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) including changes required by the attached Examiner' Paper No./Mail Date	's Amendment / Comment or in the C	Office action of
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	I.84(c)) should be written on the drawi the header according to 37 CFR 1.121(ngs in the front (not the back) of d).
6. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT	osit of BIOLOGICAL MATERIAL I FOR THE DEPOSIT OF BIOLOGIC	must be submitted. Note the AL MATERIAL.
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. Notice of Informal F	Patent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),
3. ⊠ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 7/26/04	Paper No./Mail Da 7. ☐ Examiner's Amendi	te ment/Commen
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	ent of Reasons for Wowance
	9. Other	
	· SU	RICHARD HJÉRPE IPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2800

Application/Control Number: 10/790,869

Art Unit: 2629

DETAILED ACTION

Allowable Subject Matter

1. The following is an examiner's statement of reasons for allowance:

Claims 1-22 are allowable because the instant application is directed to nonobvious improvement over the invention described in Patent No. US 6,333,730. The improvement comprises a display driver comprising: a first bidirectional shift register, a second bidirectional shift register, a drive mode setting register, a first start signal switch circuit, a second start signal switch circuit, a first data latch, a second data latch, and a data line driver circuit as claimed in independent claim 1.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

- 2. The prior art made of record and not relied upon is considered to pertinent applicant's disclosure: Patent No. US 6,333,730 and US 7,015,886.
- 3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jennifer T. Nguyen whose telephone number is 571-272-7696. The examiner can normally be reached on Mon-Fri: 9:00am-5:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Hjerpe can be reached on 571-272-7691. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/790,869

Art Unit: 2629

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jennifer Nguyen 9/15/06

RICHARD HJERPE SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600

Page 3